

AGRICULTURAL TIRES

Product Portfolio



COMPREHENSIVE TIRE SOLUTIONS FOR EVERY FARMING NEED

From tractors and harvesters to trailers and implements, Mitas offers a complete range of agricultural tires designed to meet the diverse demands of modern farming. Known for their quality and reliability, Mitas tires support professionals in every stage of their work, ensuring dependable performance, whether operating in the field, on the road, or across challenging terrain.

Backed by generations, Mitas empowers progress with forward-thinking tire solutions for every application.


Tractor and sprayer radial tires



Harvester radial tires



Trailer radial tires



Agro-industrial tires



Tractor diagonal tires



Diagonal tires



List of tire sizes

Diameter (inch)	Tire size (alternative size)	Tread pattern
Tractor and Sprayer Radial		
16"	200/70 R 16	HC 70 NEW
	200/70 R 16	AC 70 T
	240/70 R 16	HC 70 NEW
	240/70 R 16	AC 70 T
	260/70 R 16	HC 70 NEW
	260/70 R 16	AC 70 T
	280/70 R 16	HC 70 NEW
	280/70 R 16	AC 70 T
	320/65 R 16	AC 65
18"	280/70 R 18	HC 70 NEW
	280/70 R 18	AC 70 T
20"	260/70 R 20	AC 70 T
	280/70 R 20	AC 70 T
	280/85 R 20 (11.2 R 20)	AC 85
	300/70 R 20	AC 70 T
	320/70 R 20	AC 70 T
	320/85 R 20 (12.4 R 20)	AC 85
	360/70 R 20	AC 70 T
	380/70 R 20	AC 70 T
	420/65 R 20	AC 65 N
	420/65 R 20	AC 65
	440/65 R 20	AC 65
24"	280/85 R 24 (11.2 R 24)	AC 85
	320/70 R 24	HC 70
	320/70 R 24	AC 70 T
	320/85 R 24 (12.4 R 24)	AC 85
	340/85 R 24 (13.6 R 24)	AC 85
	360/70 R 24	HC 70
	360/70 R 24	AC 70 T
	380/70 R 24	HC 70
	380/70 R 24	AC 70 T
	380/70 R 24	AC 70 G
	380/85 R 24 (14.9 R 24)	AC 85
	420/70 R 24	HC 70
	420/70 R 24	AC 70 T
	420/70 R 24	AC 70 G
	420/85 R 24 (16.9 R 24)	AC 85
	440/65 R 24	AC 65
	480/65 R 24	AC 65
	480/70 R 24	HC 70
	480/70 R 24	AC 70 G
	540/65 R 24	AC 65
	750/65 R 26	SFT
28"	280/85 R 28 (11.2 R 28)	AC 85
	320/85 R 28 (12.4 R 28)	AC 85
	340/85 R 28 (13.6 R 28)	AC 85
	380/70 R 28	HC 70
	380/70 R 28	AC 70 T
	380/85 R 28 (14.9 R 28)	AC 85
	420/70 R 28	HC 70
	420/70 R 28	AC 70 T
	420/70 R 28	AC 70 G
	VF 420/85 R 28 (16.9 R 28)	HC 2000
	420/85 R 28 (16.9 R 28)	AC 85
	440/65 R 28	AC 65
	480/65 R 28	AC 65
	480/70 R 28	HC 70
	480/70 R 28	AC 70 T
	540/65 R 28	SFT
	540/65 R 28	AC 65
	600/65 R 28	SFT
	600/65 R 28	AC 65
	600/70 R 28	SFT

Diameter (inch)	Tire size (alternative size)	Tread pattern
30"	380/85 R 30 (14.9 R 30)	AC 85
	420/70 R 30	HC 70
	420/70 R 30	AC 70 T
	420/85 R 30 (16.9 R 30)	AC 85
	420/90 R 30	AC 85
	460/85 R 30 (18.4 R 30)	AC 85
	480/70 R 30	HC 70
	480/70 R 30	AC 70 T
	480/70 R 30	AC 70 G
	VF 540/65 R 30	HC 2000
	540/65 R 30	SFT
	540/65 R 30	AC 65
	600/65 R 30	AC 65
	VF 600/70 R 30 PFO	HC 2000 NEW
	600/70 R 30	SFT
32"	710/55 R 30	SFT
	710/60 R 30	SFT
	750/55 R 30	SFT
	270/80 R 32	AC 90
	VF 270/95 R 32	HC 1000 NEW
34"	270/95 R 32	AC 85
	320/85 R 32 (12.4 R 32)	AC 85
	320/90 R 32	AC 85
	320/85 R 34	AC 85
36"	VF 380/85 R 34 (14.9 R 34)	HC 2000
	380/85 R 34 (14.9 R 34)	AC 85
	VF 420/85 R 34 (16.9 R 34)	HC 2000
	420/85 R 34 (16.9 R 34)	AC 85
	460/85 R 34 (18.4 R 34)	AC 85
	480/70 R 34	HC 70
	480/70 R 34	AC 70 T
	480/70 R 34	AC 70 G
	520/70 R 34	HC 70
	520/70 R 34	AC 70 T
	520/70 R 34	AC 70 G
	VF 540/65 R 34	HC 2000
	540/65 R 34	AC 65
	600/65 R 34	AC 65
38"	650/60 R 34	SFT
	650/65 R 34	SFT
	710/60 R 34	SFT
	270/80 R 36	AC 90
	13.6 R 36	AC 90
	VF 270/95 R 38 CFO	HC 1000*
	320/85 R 38 (12.4 R 38)	AC 85
	340/85 R 38 (13.6 R 38)	AC 85
	VF 380/80 R 38 CFO	HC 1000 NEW
	380/80 R 38 (14.9 R 38)	AC 85
40"	VF 380/95 R 38	HC 2000 NEW
	380/95 R 38	AC 85
	VF 420/85 R 38	HC 2000 NEW
	420/85 R 38 (16.9 R 38)	AC 85
	460/85 R 38 (18.4 R 38)	AC 85
	VF 480/70 R 38	HC 2000
	480/70 R 38	HC 70
	480/70 R 38	AC 70 T
	520/70 R 38	HC 70
	520/70 R 38	AC 70 T
	520/70 R 38	AC 70 G
	520/85 R 38 (20.8 R 38)	AC 85
	540/65 R 38	AC 65
	580/70 R 38	HC 70
	580/70 R 38	AC 70 T
	600/65 R 38	SST

(*) In preparation

Diameter (inch)	Tire size (alternative size)	Tread pattern
38"	600/65 R 38	AC 65
	VF 650/65 R 38	HC 1000
	650/65 R 38	SFT
	650/65 R 38	SST
	650/65 R 38	AC 65
	650/75 R 38	SFT
	650/85 R 38	SFT
	710/70 R 38	SFT
	710/70 R 38	SST
	710/70 R 38	AC 65
	800/70 R 38	SFT
42"	300/85 R 42 (11.2 R 42)	AC 90
	300/95 R 42 (12.4 R 42)	AC 90
	IF 320/90 R 42	AC 85
	320/90 R 42	AC 85
	480/80 R 42	AC 85
	VF 520/85 R 42	HC 2000
	520/85 R 42	AC 85
	580/85 R 42	SFT
	VF 650/65 R 42 (20.8 R 42)	HC 2000
	650/65 R 42 (20.8 R 42)	SST
	650/65 R 42	AC 65
	650/75 R 42	SFT
	VF 710/70 R 42 PFO	HC 2000
	710/70 R 42	SFT
	710/70 R 42	SST
	710/75 R 42	SFT
	710/75 R 42	SST
	800/70 R 42 CHO	SFT
	900/60 R 42	SFT
46"	160/95 R 46	AC 85
	320/95 R 46	AC 85
	VF 380/90 R 46 CFO	HC 1000
	380/90 R 46	AC 85
	VF 480/80 R 46	HC 2000
	480/80 R 46	AC 85
	520/85 R 46 (20.8 R 46)	AC 85
	710/65 R 46	SFT
	IF 710/65 R 46	SFT
	VF 680/50 R 46	HC 1000
	VF 750/50 R 46 CFO	HC 1000*
	VF 750/60 R 46 CFO	HC 1000*
48"	VF 270/95 R 48	HC 1000
	270/95 R 48	AC 90
	340/90 R 48 (13.6 R 48)	AC 85
50"	VF 320/90 R 50 CFO	HC 1000*
	320/90 R 50	AC 85
	VF 380/90 R 50	HC 1000
	380/90 R 50	AC 85
	VF 420/95 R 50 CFO	HC 1000*
	VF 380/105 R 50 CFO	HC 1000*
	VF 480/80 R 50 CFO	HC 1000*
	480/80 R 50	AC 85
	VF 480/95 R 50	HC 2000
54"	480/95 R 50	AC 85
	VF 320/90 R 54 CFO	HC 1000*
	320/90 R 54	AC 85
	VF 320/105 R 54 CFO	HC 1000*
	380/90 R 54	AC 85
	VF 380/105 R 54	HC 2000
	380/105 R 54	AC 85

(*) In preparation

Diameter (inch)	Tire size (alternative size)	Tread pattern
Harvester Radial		
24"	460/70 R 24 IMP	AC 70 G
	500/70 R 24 IMP	AC 70 G
	500/85 R 24 IMP	SFT
25"	1000/50 R 25	SFT
26"	620/55 R 26 IMP	SFT
	620/75 R 26	SFT
	VF 750/65 R 26 CFO	HC 3000
28"	500/80 R 28 IMP	SFT
	600/65 R 28 IMP	AC 65
30"	500/85 R 30 IMP	SFT
	500/85 R 30 IMP	SFT N+
	500/85 R 30 IMP	SFT N
	540/65 R 30 IMP	AC 65
	620/70 R 30 IMP	SFT
	620/70 R 30 IMP	SFT N
	620/75 R 30	SFT
	620/75 R 30 IMP	SFT
	710/60 R 30 IMP	SFT
	710/65 R 30 IMP	SFT
32"	IF 650/75 R 32 CFO	AC 75 G
	650/75 R 32	AC 70 H
	650/75 R 32	AC 75 G
	650/75 R 32	AC 70 G
	650/75 R 32 CHO	AC 70 G*
	680/85 R 32 CHO	AC 70 G
	680/85 R 32	AC 70 G
	800/65 R 32 CHO	AC 70 H
	800/65 R 32	AC 70 H
	800/65 R 32	AC 70 N
	800/70 R 32 CHO	SFT
	800/70 R 32	SFT
	900/60 R 32 CHO	SFT
	900/60 R 32	SFT
	900/70 R 32 CHO	SFT
	900/70 R 32	SFT
	VF 1000/55 R 32 CFO	HC 3000 R
	VF 1000/65 R 32 CFO	HC 3000 R
34"	1050/50 R 32 CHO	SFT
	1050/50 R 32	SFT
	1250/50 R 32 CHO	SFT
	1250/50 R 32	SFT
	500/85 R 34 IMP	SFT
38"	500/85 R 34 IMP	SFT N
	VF 580/80 R 34 CFO	HC 3000
	680/80 R 38 CHO	SFT
42"	VF 800/70 R 38 CFO	HC 3000
	800/70 R 38 CHO	SFT
	VF 900/60 R 38 CFO	HC 3000*
	900/60 R 38 CHO	SFT
	900/60 R 38	SFT
42"	VF 520/85 R 42 CFO (20.8 R 42)	HC 3000
	VF 580/85 R 42 CFO	HC 3000
	580/85 R 42 CHO	SFT*
	680/80 R 42 CHO	SFT
	680/80 R 42	SFT
	VF 710/70 R 42 CFO	HC 3000
	VF 800/70 R 42 CFO	HC 3000*
	VF 900/60 R 42 CFO	HC 3000
	IF 900/60 R 42 CFO	SFT
	900/60 R 42 CHO	SFT

(*) In preparation

List of tire sizes

Diameter (inch)	Tire size (alternative size)	Tread pattern
Trailer Radial		
17"	440/50 R 17 IMP	AR-04
	500/40 R 17 IMP	AR-06
	500/50 R 17 IMP	AR-03
18"	355/60 R 18 MPT	AR-05
22.5"	385/65 R 22.5 (15 R 22.5)	AR-01
	445/65 R 22.5 (18 R 22.5)	AR-01
	460/65 R 22.5 IMP	AR-01
	VF 500/60 R 22.5 IMP	AGRITERRA 02 SP
	500/60 R 22.5 IMP	AGRITERRA 02
	560/45 R 22.5 IMP	AGRITERRA 02
	VF 560/60 R 22.5 IMP	AGRITERRA ULTRA SP*
	560/60 R 22.5 IMP	AGRITERRA ULTRA HD*
	560/60 R 22.5 IMP	AGRITERRA ULTRA NEW
	560/60 R 22.5 IMP	AR-02
	VF 600/50 R 22.5 IMP	AGRITERRA ULTRA SP*
	600/50 R 22.5 IMP	AGRITERRA ULTRA*
	620/40 R 22.5 IMP	AGRITERRA 02
	710/45 R 22.5 IMP	AGRITERRA 02
	VF 800/40 R 22.5 IMP	AGRITERRA ULTRA SP*
26"	620/75 R 26 IMP	AGRITERRA 02
26.5"	VF 600/55 R 26.5 IMP	AGRITERRA ULTRA SP*
	600/55 R 26.5 IMP	AGRITERRA ULTRA*
	VF 650/55 R 26.5 IMP	AGRITERRA 02 SP
	650/55 R 26.5 IMP	AGRITERRA ULTRA*
	VF 650/65 R 26.5 IMP	AGRITERRA ULTRA SP*
	650/65 R 26.5 IMP	AGRITERRA ULTRA*
	VF 710/50 R 26.5 IMP	AGRITERRA ULTRA SP NEW
	710/50 R 26.5 IMP	AGRITERRA ULTRA NEW
	800/45 R 26.5 IMP	AGRITERRA ULTRA*
	800/45 R 26.5 IMP	AGRITERRA ULTRA*
30.5"	600/60 R 30.5 IMP	AGRITERRA 04
	680/60 R 30.5 IMP	AGRITERRA ULTRA NEW
	710/50 R 30.5 IMP	AGRITERRA 02
	750/60 R 30.5 IMP	AGRITERRA 03
	850/50 R 30.5 IMP	AGRITERRA 02
32"	800/65 R 32 IMP	AGRITERRA 04
Tractor Municipal & Agro-Industrial Radial		
16"	250/75 R 160 IND	HCM
18"	340/80 R 18 IND	HCM
	340/80 R 18 IND	TI-20
20"	360/80 R 20 IND	HCM
24"	360/80 R 24 IND	HCM
	400/80 R 24 IND	HCM
	440/80 R 24 IND	HCM
	480/80 R 24 IND	TI-20
26"	360/80 R 26 IND	HCM
	400/80 R 26 IND	HCM
	440/70 R 28 IND	AC 70 G
30"	440/80 R 30 IND	HCM
	540/65 R 30 IND	HCM
	600/70 R 30 IND	HCM*
34"	440/80 R 34 IND	HCM
	480/80 R 34 IND	HCM
38"	480/80 R 38 IND	HCM
	540/80 R 38 IND	HCM
42"	650/65 R 42 IND	HCM
	710/70 R 42 IND	HCM*

(*) In preparation


Diameter (inch)	Tire size (alternative size)	Tread pattern
Multipurpose Radial		
16"	265/70 R 16 MPT	AC 70 G
	285/80 R 16 MPT	AC 70 G
17"	425/55 R 17 MPT	AC 70 G
18"	325/70 R 18 MPT	AC 70 G
	365/70 R 18 MPT	AC 70 G
20"	275/80 R 20 MPT	AC 70 G
	335/80 R 20 MPT	AC 70 G
	365/80 R 20 MPT	MPT-21
	375/70 R 20 MPT	AC 70 G
	405/70 R 20 MPT	AC 70 G
	405/70 R 20 MPT	MPT-21
	425/75 R 20 MPT	AC 70 G
22.5"	445/65 R 22.5 MPT	AC 70 +
24"	405/70 R 24 MPT	AC 70 G
	445/70 R 24 MPT	AC 70 G
	445/70 R 24 MPT (17.5L R 24)	MPT-22
	495/70 R 24 MPT	AC 70 G
30"	495/70 R 30 MPT	AC 70 G
Agro- Industrial Diagonal		
18"	280/80 - 18 (10.5 - 18)	MPT-01
	340/80 - 18 (12.5 - 18)	MPT-01
20"	340/80 - 20 (12.5 - 20)	MPT-01
	400/70 - 20	TR-01
	405/70 - 20 (16/70 - 20)	MPT-01
24"	15.5/80 - 24	TR-01
	15.5/80 - 24	TD-10
	400/80 - 24 IND (15.5/80 - 24)	TI-05
	405/70 - 24 (16/70 - 24)	MPT-01
	16.5/85 - 24	TD-10
	17.5L - 24	TR-01
	460/70 - 24 IND (17.5L - 24)	TI-05
	500/70 - 24 IND (19.5L - 24)	TI-05
	500/70 - 24 IND (19.5L - 24)	TI-05
	500/70 - 24 IND (19.5L - 24)	TI-05
Tractor Agro Forestry		
24"	380/85 - 24 (14.9 - 24)	AF-01
28"	380/85 - 28 (14.9 - 28)	AF-01
30"	16.9 - 30	TL-01
34"	420/85 - 34 (16.9 - 34)	AF-01
	460/85 - 34 (18.4 - 34)	AF-01
Tractor Diagonal		
20"	8.3 - 20	TD-13
24"	8.3 - 24	TD-02
	9.5 - 24	TD-02
	11.2 - 24	TD-19
	12.4 - 24	TD-02
	12.4 - 24	TD-19
	13.6 - 24	TD-19
	14.9 - 24	TD-08
	14.9 - 24	TD-19
	16.9 - 24	TD-13
	16.9 - 24	TD-13
26"	18.4 - 26	TD-19
	23.1 - 26	TD-01
28"	11.2 - 28	TD-02
	12.4 - 28	TD-19
	12.4 - 28	TD-02
	13.6 - 28	TD-19
	14.9 - 28	TD-19
	16.9 - 28	TD-13

Diameter (inch)	Tire size (alternative size)	Tread pattern
30"	16.9 - 30	TD-13
	16.9 - 30	TD-17
	18.4 - 30	TD-13
34"	16.9 - 34	TD-02
	16.9 - 34	TD-17
	18.4 - 34	TD-19
	18.4 - 34	TD-02
36"	12.4 - 36	TD-13
	13.6 - 36	TD-13
38"	11.2 - 38	TD-13
	12.4 - 38	TD-17
	13.6 - 38	TD-13
	14.9 - 38	TD-05
	16.9 - 38	TD-19
	16.9 - 38	TD-13
	18.4 - 38	TD-19
Implement Diagonal		
6"	13x5.00 - 6	G 1
	13x5.00 - 6	B 19
	15x6.00 - 6	B 19
8"	16x6.50 - 8	B 19
	18x8.50 - 8	G 1
	18.5x8.50 - 8	B 63
12"	10.0/80 - 12	IM-04
14.5"	200/60 - 14.5	IM-10
15"	240/70 - 15	B 3
	28x9.00 - 15	AC 30
	31x15.50 - 15	TR-06
	31x15.50 - 15	TR-07
15.3"	10.0/75 - 15.3	IM-04
	10.0/75 - 15.3	TR-03
	10.0/75 - 15.3	TR-04
	11.5/80 - 15.3	IM-04
	11.5/80 - 15.3	TR-03
15.5"	12.5/80 - 15.3	IM-04
	400/60 - 15.5	IM-07
16"	400/60 - 15.5	TR-08
	10.50 - 16	IM-01
17"	15.0/55 - 17	IM-04
	15.0/55 - 17	TR-01
	19.0/45 - 17	IM-04
	480/45 - 17	TR-01
17.5"	500/50 - 17	IM-07
	14 - 17.5	TR-10
18"	12.0/75 - 18	TR-03
	12.0/75 - 18	TR-11
	12.5/80 - 18	IM-03
	12.5/80 - 18	IM-04
	13.0/65 - 18	IM-04
	14.5/80 - 18	IM-03
20"	14.5/80 - 18	TR-05
	500/45 - 20	TR-12
22.5"	500/60 - 22.5	TR-08
	500/60 - 22.5	IM-09
	500/60 - 22.5	TR-12
	550/60 - 22.5	IM-09
	550/60 - 22.5	TR-08
	600/40 - 22.5	TR-12
	600/50 - 22.5	TR-08

Diameter (inch)	Tire size (alternative size)	Tread pattern
Tractor Small		
6"	3.50 - 6	B 16
	13x5.00 - 6	B 12
8"	3.50 - 8	B 16
	4.00 - 8	B 12
	16x6.50 - 8	B 64
10"	4.00 - 10	B 12
	5.00 - 10	B 16
	5.0 - 10	B 17
12"	4.00 - 12	B 12
	5.00 - 12	TS-02
	5.00 - 12	B 12
	6.5/90 - 12 (170/90-12)	TS-06
	6.5/80 - 12	B 18
14"	6.5/75 - 14	TS-02
15"	5.00 - 15	TS-06
	6.5/90 - 15 (170/90-15)	TS-06
	690x180 - 15	TS-07
15.3"	10.0/75 - 15.3	TS-05
16"	11.5/80 - 15.3	TS-05
	6.00 - 16	TS-04
	6.00 - 16	TD-13
	6.50 - 16	TD-10
	7.50 - 16	TS-04
20"	7.50 - 16	TD-13
	7.50 - 20	TS-04
	7.50 - 20	TD-13
	8.3 - 20	TD-13
Tractor Front		
16"	6.00 - 16	TF-03
	6.50 - 16	TF-03
	7.50 - 16	TF-03
	9.00 - 16	TF-03
	10.00 - 16	TF-03
18"	6.00 - 18	TF-03
	6.00 - 18	TF-04
20"	6.50 - 20	TF-03
	7.50 - 20	TF-03
Bantam		
6"	3.50 - 6	B 15
	3.50 - 6	B 15 Ribbed
	4.00 - 6	V-5501
	4.00 - 6	B 11
8"	3.50 - 8	V-5501
	3.50 - 8	B 11
	3.50 - 8	B 15
	4.00 - 8	V-5501B
	4.00 - 8	V-5501A
	4.00 - 8	B 11

Mitas

WEBSITE



FOLLOW US



e-SHOP

