

Mitas

LANDBOUWBANDEN

Overzicht



Mitas



HC 2000 HC 1000 SFT SST AC 65 HC 70



AC 70T AC 70 G AC 85 AC 85 Row Crop AC 90 Row Crop HC 3000



HC 3000 R SFT CHO SFT Harvester AC 70 H AC 70 N SFT IMP



SFT N IMP AC 70 G IMP AC 65 IMP Agriterra 02 Agriterra 03 Agriterra 04



AR-01 AR-02 AR-03 AR-04 AR-05 AR-06



HCM TI-20 TI-22 (MPT-22) AC 70 + MPT-21 TI-05



MPT-01 TD-10 AF-01 TL-01 TD-01 TD-02



TD-05 TD-08 TD-13 TD-17 TD-19 IM-01



IM-02



IM-03



IM-04



IM-07



IM-09



IM-10



AC 30



G 1



B 3



B 19



B 63



TR-01



TR-03



TR-04



TR-05



TR-06



TR-07



TR-08



TR-10



TR-11



TR-12



TS-02



TS-04



TS-05



TS-06



TS-07



B 12



B 16



B 17



B 18



B 64



TF-01



TF-02



TF-03



TF-04



IM-05



B 11



B 15



V-5501



V-5501A

Tractor radiaalbanden

Oogstbanden radiaalbanden

Trailer radiaalbanden

Industriële tractor banden

Tractor diagonaalbanden

Diagonaalbanden

Lijst beschikbare bandenmaten

Inch-maat	Bandmaat (alternatieve maat)	Profieltype	
Tractor radiaal en oogstbanden radiaal			
16"	200/70 R 16	AC 70 T	
	240/70 R 16	AC 70 T	
	260/70 R 16	AC 70 T	
	280/70 R 16	AC 70 T	
	320/65 R 16	AC 65	
18"	280/70 R 18	AC 70 T	
	20"	260/70 R 20	AC 70 T
20"	280/70 R 20	AC 70 T	
	280/85 R 20 (11.2 R 20)	AC 85	
	300/70 R 20	AC 70 T	
	320/70 R 20	AC 70 T	
	320/85 R 20 (12.4 R 20)	AC 85	
	360/70 R 20	AC 70 T	
	380/70 R 20	AC 70 T	
	420/65 R 20	AC 65 N	
	420/65 R 20	AC 65	
	24"	280/85 R 24 (11.2 R 24)	AC 85
		320/70 R 24	HC 70
		320/70 R 24	AC 70 T
		320/85 R 24 (12.4 R 24)	AC 85
		340/85 R 24 (13.6 R 24)	AC 85
		360/70 R 24	HC 70
		360/70 R 24	AC 70 T
		380/70 R 24	HC 70
		380/70 R 24	AC 70 T
		380/70 R 24	AC 70 G
		380/85 R 24 (14.9 R 24)	AC 85
420/70 R 24		HC 70	
420/70 R 24		AC 70 T	
420/70 R 24		AC 70 G	
420/85 R 24 (16.9 R 24)		AC 85	
440/65 R 24		AC 65	
460/70 R 24 IMP		AC 70 G	
480/65 R 24		AC 65	
480/70 R 24		HC 70	
480/70 R 24		AC 70 G	
500/70 R 24 IMP	AC 70 G		
500/85 R 24 IMP	SFT		
540/65 R 24	AC 65		
25"	1000/50 R 25	SFT	
	26"	620/55 R 26 IMP	SFT
26"	620/75 R 26	SFT	
	VF 750/65 R 26 CFO	HC 3000	
	750/65 R 26	SFT	
	28"	280/85 R 28 (11.2 R 28)	AC 85
		320/85 R 28 (12.4 R 28)	AC 85
340/85 R 28 (13.6 R 28)		AC 85	
380/70 R 28		HC 70	
380/70 R 28		AC 70 T	
380/85 R 28 (14.9 R 28)		AC 85	
420/70 R 28		HC 70	
420/70 R 28		AC 70 T	
420/70 R 28		AC 70 G	
VF 420/85 R 28 (16.9 R 28)		HC 2000	
420/85 R 28 (16.9 R 28)		AC 85	

Inch-maat	Bandmaat (alternatieve maat)	Profieltype	
	440/65 R 28	AC 65	
	480/65 R 28	AC 65	
	480/70 R 28	HC 70	
	480/70 R 28	AC 70 T	
	500/80 R 28 IMP	SFT	
	540/65 R 28	SFT	
	540/65 R 28	AC 65	
	600/65 R 28	SFT	
	600/65 R 28	AC 65	
	600/65 R 28 IMP	AC 65	
	600/70 R 28	SFT	
	30"	380/85 R 30 (14.9 R 30)	AC 85
		420/70 R 30	HC 70
		420/70 R 30	AC 70 T
420/85 R 30 (16.9 R 30)		AC 85	
420/90 R 30		AC 85	
460/85 R 30 (18.4 R 30)		AC 85	
480/70 R 30		HC 70	
480/70 R 30		AC 70 T	
480/70 R 30		AC 70 G	
500/85 R 30 IMP		SFT	
500/85 R 30 IMP		SFT N	
VF 540/65 R 30		HC 2000	
540/65 R 30		SFT	
540/65 R 30		AC 65	
540/65 R 30 IMP		AC 65	
600/65 R 30		AC 65	
VF 600/70 R 30		HC 2000	
600/70 R 30		SFT	
620/70 R 30 IMP		SFT	
620/70 R 30 IMP		SFT N	
620/75 R 30	SFT		
620/75 R 30 IMP	SFT		
710/55 R 30	SFT		
710/60 R 30	SFT		
710/60 R 30 IMP	SFT		
710/65 R 30 IMP	SFT		
750/55 R 30	SFT		
32"	270/80 R 32	AC 90	
	270/95 R 32	AC 85	
	320/85 R 32 (12.4 R 32)	AC 85	
	320/90 R 32	AC 85	
	IF 650/75 R 32 CFO	AC 70 G	
	650/75 R 32	AC 75 H	
	650/75 R 32	AC 75 G	
	650/75 R 32	AC 70 G	
	680/85 R 32 CHO	AC 70 G	
	680/85 R 32	AC 70 G	
	800/65 R 32	AC 70 H	
	800/65 R 32	AC 70 N	
	800/70 R 32 CHO	SFT	
800/70 R 32	SFT		
900/60 R 32 CHO	SFT		
900/60 R 32	SFT		
900/70 R 32 CHO	SFT		
900/70 R 32	SFT		

Inch- maat	Bandmaat (alternatieve maat)	Profieltype
	VF 1000/65 R 32 CFO	HC 3000 R
	1050/50 R 32 CHO	SFT
	1050/50 R 32	SFT
	1250/50 R 32 CHO	SFT
	1250/50 R 32	SFT
34"	320/85 R 34	AC 85
	VF 380/85 R 34 (14.9 R 34)	HC 2000
	380/85 R 34 (14.9 R 34)	AC 85
	VF 420/85 R 34 (16.9 R 34)	HC 2000
	420/85 R 34 (16.9 R 34)	AC 85
	460/85 R 34 (18.4 R 34)	AC 85
	480/70 R 34	HC 70
	480/70 R 34	AC 70 T
	480/70 R 34	AC 70 G
	500/85 R 34 IMP	SFT
	500/85 R 34 IMP	SFT N
	520/70 R 34	HC 70
	520/70 R 34	AC 70 T
	520/70 R 34	AC 70 G
	VF 540/65 R 34	HC 2000
	540/65 R 34	AC 65
	VF 580/80 R 34 CFO	HC 3000
	600/65 R 34	AC 65
	650/60 R 34	SFT
	650/65 R 34	SFT
	710/60 R 34	SFT
36"	270/80 R 36	AC 90
	13.6 R 36	AC 90
38"	320/85 R 38 (12.4 R 38)	AC 85
	340/85 R 38 (13.6 R 38)	AC 85
	380/80 R 38 (14.9 R 38)	AC 85
	VF 380/95 R 38	HC 2000
	380/95 R 38	AC 85
	420/85 R 38 (16.9 R 38)	AC 85
	460/85 R 38 (18.4 R 38)	AC 85
	VF 480/70 R 38	HC 2000
	480/70 R 38	HC 70
	480/70 R 38	AC 70 T
	520/70 R 38	HC 70
	520/70 R 38	AC 70 T
	520/70 R 38	AC 70 G
	520/85 R 38 (20.8 R 38)	AC 85
	540/65 R 38	AC 65
	580/70 R 38	HC 70
	580/70 R 38	AC 70 T
	600/65 R 38	SST
	600/65 R 38	AC 65
	VF 650/65 R 38	HC 1000
	650/65 R 38	SFT
	650/65 R 38	SST
	650/65 R 38	AC 65
	650/75 R 38	SFT
	650/85 R 38	SFT
	680/80 R 38 CHO	SFT
	710/70 R 38	SFT

Inch- maat	Bandmaat (alternatieve maat)	Profieltype
	710/70 R 38	SST
	710/70 R 38	AC 65
	800/70 R 38 CHO	SFT
	800/70 R 38	SFT
	900/60 R 38 CHO	SFT
	900/60 R 38	SFT
42"	300/85 R 42 (11.2 R 42)	AC 90
	300/95 R 42 (12.4 R 42)	AC 90
	IF 320/90 R 42	AC 85
	320/90 R 42	AC 85
	480/80 R 42	AC 85
	VF 520/85 R 42 (20.8 R 42)	HC 2000
	VF 520/85 R 42 CFO (20.8 R 42)	HC 3000
	520/85 R 42 (20.8 R 42)	AC 85
	VF 580/85 R 42 CFO	HC 3000
	580/85 R 42	SFT
	VF 650/65 R 42	HC 2000
	650/65 R 42	SST
	650/65 R 42	AC 65
	650/75 R 42	SFT
	680/80 R 42 CHO	SFT
	680/80 R 42	SFT
	VF 710/70 R 42	HC 2000
	VF 710/70 R 42 CFO	HC 3000
	710/70 R 42	SFT
	710/70 R 42	SST
	710/75 R 42	SFT
	710/75 R 42	SST
	800/70 R 42 CHO	SFT
	IF 900/60 R 42 CFO	SFT
	900/60 R 42 CHO	SFT
	900/60 R 42	SFT
46"	320/95 R 46	AC 85
	VF 380/90 R 46	HC 1000
	380/90 R 46	AC 85
	VF 480/80 R 46	HC 2000
	480/80 R 46	AC 85
	520/85 R 46 (20.8 R 46)	AC 85
	710/65 R 46	SFT
	IF 710/65 R 46	SFT
	VF 750/60 R 46	HC 1000
48"	270/95 R 48	AC 90
	340/90 R 48 (13.6 R 48)	AC 85
50"	320/90 R 50	AC 85
	380/90 R 50	AC 85
	VF 380/105 R 50	HC 1000
	VF 480/80 R 50	HC 1000
	480/80 R 50	AC 85
	VF 480/95 R 50	HC 2000
	480/95 R 50	AC 85
54"	320/90 R 54	AC 85
	VF 320/105 R 54	HC 1000
	380/90 R 54	AC 85
	VF 380/105 R 54	HC 2000
	380/105 R 54	AC 85

Lijst beschikbare bandenmaten

Inch- maat	Bandmaat (alternatieve maat)	Profieltype	
Trailer Radiaal			
17"	440/50 R 17 IMP	AR-04	
	500/40 R 17 IMP	AR-06	
	500/50 R 17 IMP	AR-03	
18"	355/60 R 18 MPT	AR-05	
	22.5" 385/65 R 22.5 (15 R 22.5)	AR-01	
22.5"	445/65 R 22.5 (18 R 22.5)	AR-01	
	460/65 R 22.5 IMP	AR-01	
	500/60 R 22.5 IMP	AGRITERRA 02	
	560/45 R 22.5 IMP	AGRITERRA 02	
	560/60 R 22.5 IMP	AGRITERRA 02	
	560/60 R 22.5 IMP	AR-02	
	600/50 R 22.5 IMP	AGRITERRA 02	
	620/40 R 22.5 IMP	AGRITERRA 02	
	710/45 R 22.5 IMP	AGRITERRA 02	
	26" 620/75 R 26 IMP	AGRITERRA 02	
	26.5"	600/55 R 26.5 IMP	AGRITERRA 02
		650/55 R 26.5 IMP	AGRITERRA 02
30.5"	650/65 R 26.5 IMP	AGRITERRA 02	
	710/50 R 26.5 IMP	AGRITERRA 02	
	800/45 R 26.5 IMP	AGRITERRA 02	
	600/60 R 30.5 IMP	AGRITERRA 04	
	680/60 R 30.5 IMP	AGRITERRA 03	
	710/50 R 30.5 IMP	AGRITERRA 02	
32"	750/60 R 30.5 IMP	AGRITERRA 03	
	850/50 R 30.5 IMP	AGRITERRA 02	
	800/65 R 32 IMP	AGRITERRA 04	
Municipal, Industriële tractor radiaal			
18"	340/80 R 18 IND	HCM	
	340/80 R 18 IND	TI-20	
20"	360/80 R 20 IND	HCM	
24"	360/80 R 24 IND	HCM	
	400/80 R 24 IND	HCM	
26"	440/80 R 24 IND	HCM	
	460/70 R 24 IND (17.5L R 24)	TI-22	
	480/80 R 26 IND	TI-20	
28"	360/80 R 28 IND	HCM	
	400/80 R 28 IND	HCM	
30"	440/70 R 28 IND	AC 70 G	
	440/80 R 28 IND	HCM	
	440/80 R 28 IND	TI-20	
	440/80 R 30 IND	HCM	
34"	540/65 R 30 IND	HCM	
	440/80 R 34 IND	HCM	
38"	480/80 R 34 IND	HCM	
	480/80 R 38 IND	HCM	
42"	540/80 R 38 IND	HCM	
	650/65 R 42 IND	HCM	
Multipurpose radiaal			
16"	265/70 R 16 MPT	AC 70 G	
	285/80 R 16 MPT	AC 70 G	
17"	425/55 R 17 MPT	AC 70 G	
18"	325/70 R 18 MPT	AC 70 G	
	365/70 R 18 MPT	AC 70 G	
20"	275/80 R 20 MPT	AC 70 G	
	335/80 R 20 MPT	AC 70 G	
	365/80 R 20 MPT	MPT-21	
	375/70 R 20 MPT	AC 70 G	
	405/70 R 20 MPT	AC 70 G	

Inch- maat	Bandmaat (alternatieve maat)	Profieltype	
22.5"	405/70 R 20 MPT	MPT-21	
	425/75 R 20 MPT	AC 70 G	
24"	445/65 R 22.5 MPT	AC 70 +	
	405/70 R 24 MPT	AC 70 G	
30"	445/70 R 24 MPT	AC 70 G	
	445/70 R 24 MPT (17.5L R 24)	MPT-22	
	495/70 R 24 MPT	AC 70 G	
30"	495/70 R 30 MPT	AC 70 G	
	Industriële tractor diagonaal		
18"	280/80 - 18 (10.5 - 18)	MPT-01	
	275/80 - 18 MPT (10.5 - 18)	TD-10	
	320/80 - 18	TD-10	
20"	340/80 - 18 (12.5 - 18)	MPT-01	
	275/80 - 20 MPT	TD-10	
	335/80 - 20 MPT	TD-10	
	340/80 - 20 (12.5 - 20)	MPT-01	
24"	360/80 - 20	TD-10	
	365/80 - 20 MPT	TD-10	
	400/70 - 20	TR-01	
	405/70 - 20 (16/70 - 20)	MPT-01	
	15.5/80 - 24	TR-01	
	15.5/80 - 24	TD-10	
24"	400/80 - 24 IND (15.5/80 - 24)	TI-05	
	405/70 - 24 (16/70 - 24)	MPT-01	
	16.5/85 - 24	TD-10	
	17.5L - 24	TR-01	
	460/70 - 24 IND (17.5L - 24)	TI-05	
	460/70 - 24 IND (17.5L - 24)	TR-01	
	19.5L - 24 IND	TI-05	
500/70 - 24 IND (19.5L - 24)	TI-05		
Tractor Agro Forestry (bosbouw)			
24"	380/85 - 24 (14.9 - 24)	AF-01	
28"	380/85 - 28 (14.9 - 28)	AF-01	
30"	16.9 - 30	TL-01	
34"	420/85 - 34 (16.9 - 34)	AF-01	
	460/85 - 34 (18.4 - 34)	AF-01	
Tractor Diagonaal			
20"	8.3 - 20	TD-13	
24"	8.3 - 24	TD-02	
	9.5 - 24	TD-02	
	11.2 - 24	TD-02	
	11.2 - 24	TD-19	
	12.4 - 24	TD-02	
	12.4 - 24	TD-19	
	13.6 - 24	TD-19	
	14.9 - 24	TD-08	
	14.9 - 24	TD-19	
	16.9 - 24	TD-13	
	26"	18.4 - 26	TD-19
		23.1 - 26	TD-01
11.2 - 28		TD-02	
28"	12.4 - 28	TD-19	
	12.4 - 28	TD-02	
	13.6 - 28	TD-19	
	14.9 - 28	TD-19	
30"	16.9 - 28	TD-13	
	16.9 - 30	TD-13	
	16.9 - 30	TD-17	
	18.4 - 30	TD-13	

Inch- maat	Bandmaat (alternatieve maat)	Profieltype	
34"	16.9-34	TD-02	
	16.9-34	TD-17	
	18.4-34	TD-19	
	18.4-34	TD-02	
36"	12.4-36	TD-13	
	13.6-36	TD-13	
38"	11.2-38	TD-13	
	12.4-38	TD-17	
	13.6-38	TD-13	
	14.9-38	TD-05	
	15.5-38	TD-05	
	16.9-38	TD-19	
	16.9-38	TD-13	
	18.4-38	TD-19	
Implement Diagonaal			
6"	13×5.00-6	G 1	
	13×5.00-6	B 19	
8"	15×6.00-6	B 19	
	16×6.50-8	B 19	
	18×8.50-8	G 1	
12"	18.5×8.50-8	B 63	
	10.0/80-12	IM-04	
14.5"	200/60-14.5	IM-10	
15"	240/70-15	B3	
	28×9.00-15	AC30	
	31×15.50-15	TR-06	
	31×15.50-15	TR-07	
	15.3"	10.0/75-15.3	IM-04
		10.0/75-15.3	TR-03
		10.0/75-15.3	TR-04
		11.5/80-15.3	IM-04
		11.5/80-15.3	TR-03
		12.5/80-15.3	IM-04
15.5"	400/60-15.5	IM-07	
	400/60-15.5	TR-08	
16"	10.50-16	IM-01	
17"	15.0/55-17	IM-04	
	15.0/55-17	TR-01	
	19.0/45-17	IM-04	
	480/45-17	TR-01	
	500/50-17	IM-07	
17.5"	14-17.5	TR-10	
18"	12.0/75-18	TR-03	
	12.0/75-18	TR-11	
	12.5/80-18	IM-03	
	12.5/80-18	IM-04	
	13.0/65-18	IM-04	
	360/95-18	IM-02	
	14.5/80-18	IM-03	
	14.5/80-18	TR-05	
	20"	500/45-20	TR-12
		500/60-22.5	TR-08
22.5"	500/60-22.5	IM-09	
	500/60-22.5	TR-12	
	550/60-22.5	IM-09	
	550/60-22.5	TR-08	
	600/40-22.5	TR-12	
	600/50-22.5	TR-08	

Inch- maat	Bandmaat (alternatieve maat)	Profieltype	
Treibrad klein, diagonal			
6"	3.50-6	B 16	
	13×5.00-6	B 12	
8"	3.50-8	B 16	
	4.00-8	B 12	
10"	16×6.50-8	B 64	
	4.00-10	B 12	
	5.00-10	B 16	
12"	5.0-10	B 17	
	4.00-12	B 12	
	5.00-12	TS-02	
	5.00-12	B 12	
	6.5/90-12 (170/90-12)	TS-06	
	6.5/80-12	B 18	
	11.0/65-12	TD-10	
14"	6.5/75-14	TS-02	
15"	5.00-15	TS-06	
	6.5/90-15 (170/90-15)	TS-06	
15.3"	690×180-15	TS-07	
	10.0/75-15.3	TS-05	
	11.5/80-15.3	TS-05	
16"	6.00-16	TS-04	
	6.00-16	TD-13	
	6.50-16	TD-10	
	7.50-16	TS-04	
	7.50-16	TD-13	
20"	7.50-20	TS-04	
	7.50-20	TD-13	
	8.3-20	TD-13	
Voorbanden tractor			
16"	6.00-16	TF-03	
	6.50-16	TF-03	
	7.50-16	TF-01	
	7.50-16	TF-02	
	7.50-16	TF-03	
	9.00-16	TF-03	
	10.00-16	TF-03	
	11L-16	IM-05	
	18"	6.00-18	TF-03
		6.00-18	TF-04
20"	6.50-20	TF-03	
	7.50-20	TF-01	
	7.50-20	TF-03	
Bantam			
6"	3.50-6	B 15	
	3.50-6	B 15 Ribbed	
	4.00-6	V-5501	
	4.00-6	B 11	
8"	3.50-8	V-5501	
	3.50-8	B 11	
	3.50-8	B 15	
	4.00-8	V-5501B	
	4.00-8	V-5501A	
	4.00-8	B 11	

Trelleborg Wheel Systems Benelux

Brugse Steenweg 7

B-9940 Evergem

Belgium

Tel: +32 (0)9 257 22 60

E-mail: tws.nl.sales@trelleborg.com

mitas-tires.com

© TWS CZ: 8/22_1
Technische wijzigingen, drukfouten en fouten in
teksten of illustraties voorbehouden.



Mitas